

## REFERENCES

### 1976

- [1] J. van Mill, *Compactifications in which the collection of multiple points is Lindelöf semi-stratifiable*, Proc. Kon. Akad. Wet. A. **79** (1976), 349–356.
- [2] J. van Mill, *A note on Wallman compactifications*, Nw. Arch. Wisk. **24** (1976), 168–172.
- [3] J. van Mill, *Recent results on superextensions*, Proc. Fourth Prague Top. Symp. **4** (1976), 279–283.

### 1977

- [4] J. van Mill, *A countable space no compactification of which is supercompact*, Bull. Polon. Acad. Sci. Sér. Math. Astronom. Phys. **25** (1977), 1129–1132.
- [5] J. van Mill, *Every Hausdorff compactification of a locally compact separable space is a GA-compactification*, Can. J. Math. **24** (1977), 125–131.
- [6] J. van Mill, *Relations between  $\beta X - X$  and a certain subspace of  $\lambda X$* , Math. Z. **156** (1977), 187–302.
- [7] J. van Mill, *Supercompactness and Wallman spaces*, Mathematical Centre Tracts 85, Amsterdam, 1977.

### 1978

- [8] P. C. Baayen and J. van Mill, *Compactifications of locally compact spaces with zero-dimensional remainder*, Gen. Top. Appl. **9** (1978), 125–129.
- [9] E. K. van Douwen and J. van Mill, *Parovičenko's characterization of  $\beta\omega - \omega$  implies CH*, Proc. Amer. Math. Soc. **72** (1978), 539–541.
- [10] J. van Mill, *A pseudo-interior of  $\lambda I$* , Compositio Math. **36** (1978), 75–82.
- [11] J. van Mill and C. F. Mills, *On the character of supercompact spaces*, Top. Proc. **3** (1978), 227–236.
- [12] J. van Mill and M. van de Vel, *Convexity preserving mappings in subbase convexity theory*, Proc. Kon. Ned. Akad. Wet. A. **82** (1978), 76–90.
- [13] J. van Mill and M. van de Vel, *Path connectedness, contractibility, and LC-properties of superextensions*, Bull. Polon. Acad. Sci. Sér. Math. Astronom. Phys. **26** (1978), 261–269.
- [14] J. van Mill and E. Wattel, *An external characterization of spaces that admit binary normal subbases*, Am. J. Math. **100** (1978), 987–994.
- [15] J. van Mill and E. Wattel, *Souslin dendrons*, Proc. Amer. Math. Soc. **72** (1978), 545–555.

### 1979

- [16] M. Hušek, J. van Mill, and C. F. Mills, *Some very small continua*, Top. Structures 2 (P. C. Baayen and J. van Mill, eds.), Math. Centre Tracts 115, Amsterdam, 1979, pp. 147–151.
- [17] J. van Mill, *Extenders from  $\beta X - X$  to  $\beta X$* , Bull. Polon. Acad. Sci. Sér. Math. Astronom. Phys. **27** (1979), 117–121.
- [18] J. van Mill, *Not every  $K_1$ -embedded subspace is  $K_0$ -embedded*, Can. J. Math. **31** (1979), 818–823.
- [19] J. van Mill, *A simple observation concerning the existence of non-limit points in small compact  $F$ -spaces*, Top. Structures 2 (P.C. Baayen and J. van Mill, eds.), Math. Centre Tracts 115, Amsterdam, 1979, pp. 167–168.
- [20] J. van Mill, *The superextension of the closed unit interval is homeomorphic to the Hilbert cube*, Fund. Math. **103** (1979), 151–175.
- [21] J. van Mill, *Weak  $P$ -points in compact  $F$ -spaces*, Top. Proc. **4** (1979), 609–628.
- [22] J. van Mill and C. F. Mills, *Closed  $G_\delta$ -subsets of supercompact Hausdorff spaces*, Proc. Kon. Akad. Wet. A. **82** (1979), 155–162.
- [23] J. van Mill and A. Schrijver, *Subbase characterizations of compact topological spaces*, Gen. Top. Appl. **10** (1979), 183–201.
- [24] J. van Mill and A. Schrijver, *Superextensions which are Hilbert cubes*, Per. Math. Hung. **10** (1979), 15–24.
- [25] J. van Mill and M. van de Vel, *On an internal property of Absolute Retracts*, Top. Proc. **4** (1979), 193–200.

- [26] J. van Mill and M. van de Vel, *On superextensions and hyperspaces*, Top. Structures 2 (P.C. Baayen and J. van Mill, eds.), Math. Centre Tracts 115, Amsterdam, 1979, pp. 169–180.
- [27] J. van Mill and J. Vermeer, *Wallman compactifications and the Continuum Hypothesis*, Top. Structures 2 (P. C. Baayen and J. van Mill, eds.), Math. Centre Tracts 115, Amsterdam, 1979, pp. 181–185.
- [28] J. van Mill and E. Wattel, *Dendrons*, Top. Structures 2 (P. C. Baayen and J. van Mill, eds.), Math. Centre Tracts 115, Amsterdam, 1979, pp. 59–81.
- [29] C. F. Mills and J. van Mill, *A nonsupercompact continuous image of a supercompact space*, Houston J. Math. **5** (1979), 241–247.

#### 1980

- [30] M. G. Bell and J. van Mill, *The compactness number of a compact topological space I*, Fund. Math. **106** (1980), 163–173.
- [31] E. K. van Douwen and J. van Mill, *Subspaces of basically disconnected spaces or quotients of countably complete Boolean Algebras*, Trans. Amer. Math. Soc. **259** (1980), 121–127.
- [32] A. Dow and J. van Mill, *On nowhere dense ccc  $P$ -sets*, Proc. Amer. Math. Soc. **80** (1980), 797–700.
- [33] K. Kunen, J. van Mill, and C. F. Mills, *On nowhere dense closed  $P$ -sets*, Proc. Amer. Math. Soc. **78** (1980), 119–123.
- [34] J. van Mill, *A Peano continuum homeomorphic to its own square but not to its countable infinite product*, Proc. Amer. Math. Soc. **80** (1980), 703–705.
- [35] J. van Mill, *Superextensions of metrizable continua are Hilbert cubes*, Fund. Math. **107** (1980), 201–224.
- [36] J. van Mill, *When  $U(\kappa)$  can be mapped onto  $U(\omega)$* , Proc. Amer. Math. Soc. **80** (1980), 701–702.
- [37] J. van Mill and C. F. Mills, *A boojum and other snarks*, Proc. Kon. Ned. Akad. Wet. A. **42** (1980), 419–424.
- [38] J. van Mill and C. F. Mills, *A topological property enjoyed by near points but not by large points*, Top. Appl. **11** (1980), 199–208.

#### 1981

- [39] E. K. van Douwen and J. van Mill,  *$\beta\omega - \omega$  is not first order homogeneous*, Proc. Amer. Math. Soc. **81** (1981), 503–504.
- [40] I. Juhász and J. van Mill, *Countably compact spaces all countable subsets of which are scattered*, Comm. Math. Univ. Carolinae **22** (1981), 851–855.
- [41] G. Kozłowski, J. van Mill, and J. J. Walsh,  *$AR$ -maps obtained from cell-like maps*, Proc. Amer. Math. Soc. **82** (1981), 299–302.
- [42] J. van Mill, *Characterization of some zero-dimensional separable metric spaces*, Trans. Amer. Math. Soc. **264** (1981), 205–215.
- [43] J. van Mill, *A counterexample in ANR theory*, Top. Appl. **12** (1981), 315–320.
- [44] J. van Mill, *A rigid space  $X$  for which  $X \times X$  is homogeneous; an application of infinite-dimensional topology*, Proc. Amer. Math. Soc. **83** (1981), 597–600.
- [45] J. van Mill and M. van de Vel, *Subbases, convex sets, and hyperspaces*, Pac. J. Math. **92** (1981), 385–402.
- [46] J. van Mill and E. Wattel, *Selections and orderability*, Proc. Amer. Math. Soc. **83** (1981), 601–605.

#### 1982

- [47] R. D. Anderson, D. W. Curtis, and J. van Mill, *A fake topological Hilbert space*, Trans. Amer. Math. Soc. **272** (1982), 311–321.
- [48] E. K. van Douwen and J. van Mill, *Supercompact spaces*, Top. Appl. **13** (1982), 21–32.
- [49] A. Dow and J. van Mill, *An extremally disconnected Dowker space*, Proc. Amer. Math. Soc. **86** (1982), 669–672.
- [50] J. van Mill, *A homogeneous Eberlein compact space which is not metrizable*, Pac. J. Math. **101** (1982), 141–146.

- [51] J. van Mill, *Homogeneous subsets of the real line*, Compositio Math. **45** (1982), 3–13.
- [52] J. van Mill, *Homogeneous subsets of the real line that do not admit the structure of a topological group*, Indag. Math. **44** (1982), 37–43.
- [53] J. van Mill, *Inductive Čech completeness and dimension*, Compositio Math. **45** (1982), 145–153.
- [54] J. van Mill, *The reduced measure algebra and a  $K_1$ -space which is not  $K_0$* , Top. Appl. **13** (1982), 123–132.
- [55] J. van Mill, *Representing countable groups by homeomorphism groups in Hilbert space*, Math. Annalen **259** (1982), 321–329.
- [56] J. van Mill, *Sixteen topological types in  $\beta\omega - \omega$* , Top. Appl. **13** (1982), 43–57.
- [57] J. van Mill, *Strong local homogeneity does not imply countable dense homogeneity*, Proc. Amer. Math. Soc. **84** (1982), 143–148.
- [58] J. van Mill, *Types of weak  $P$ -points in  $\beta\omega - \omega$* , Proc. Fifth Prague Topological Symposium **5** (1982), 481–485.
- [59] J. van Mill, *Weak  $P$ -points in Čech-Stone compactifications*, Trans. Amer. Math. Soc. **273** (1982), 657–678.
- [60] J. van Mill and T. C. Przymusiński, *There is no compactification theorem for the small inductive dimension*, Top. Appl. **13** (1982), 133–136.
- [61] J. van Mill and M. van de Vel, *On an internal property of Absolute Retracts II*, Top. Appl. **13** (1982), 59–68.
- [62] J. van Mill and E. Wattel, *Subbase characterizations of subspaces of compact trees*, Top. Appl. **13** (1982), 321–326.
- [63] J. van Mill and R. G. Woods, *Perfect images of zero-dimensional separable metric spaces*, Canad. Math. Bull. **25** (1982), 41–47.

### 1983

- [64] D. W. Curtis and J. van Mill, *Zero-dimensional countable dense unions of  $Z$ -sets in the Hilbert cube*, Fund. Math. **118** (1983), 103–108.
- [65] E. K. van Douwen and J. van Mill, *Spaces without remote points*, Pac. J. Math. **105** (1983), 69–75.
- [66] F. van Engelen and J. van Mill, *Decompositions of rigid spaces*, Proc. Amer. Math. Soc. **89** (1983), 103–108.
- [67] A. Gutek and J. van Mill, *Continua that are locally a bundle of arcs*, Top. Proc. **7** (1983), 63–69.
- [68] J. van Mill, *An almost fixed point theorem for metrizable continua*, Archiv der Mathematik **40** (1983), 159–169.
- [69] J. van Mill, *Boolean algebras and raising maps to zero-dimensional spaces*, Canad. Math. Bull. **26** (1983), 70–79.
- [70] J. van Mill, *A boundary set for the Hilbert cube containing no arcs*, Fund. Math. **118** (1983), 93–102.
- [71] J. van Mill, *Characterization of a certain subset of the Cantor set*, Fund. Math. **118** (1983), 81–91.
- [72] J. van Mill, *A rational vector space not homeomorphic to a normed rational vector space*, Top. Proc. **8** (1983), 329–332.
- [73] J. van Mill, *A remark on the Rudin-Keisler order of ultrafilters*, Houston J. Math. **9** (1983), 70–79.
- [74] J. van Mill, *A topological group having no homeomorphisms other than translations*, Trans. Amer. Math. Soc. **280** (1983), 491–498.
- [75] J. van Mill, *Closed images of topological groups*, Topology, Coll. Math. Soc. Bolyai János 41, Budapest (Hungary), 1983, pp. 419–426.
- [76] J. van Mill and S. W. Williams, *A Parovičenko space not coabsolute with  $\beta N - N$* , Top. Appl. **15** (1983), 59–64.

### 1984

- [77] F. van Engelen and J. van Mill, *Borel sets in compact spaces: some Hurewicz-type theorems*, Fund. Math. **124** (1984), 271–286.

- [78] F. van Engelen and J. van Mill, *A pathological homogeneous subspace of the real line*, Topology and Order II (H. Bennett and D. J. Lutzer, eds.), Math. Centre Tracts 169, Amsterdam, 1984, pp. 31–36.
- [79] J. van Mill, *Homeomorphism groups and homogeneous spaces*, Proc. Amer. Math. Soc. **92** (1984), 449–454.
- [80] J. van Mill, *An introduction to  $\beta\omega$* , Handbook of Set-Theoretic Topology (K. Kunen and J.E. Vaughan, eds.), North-Holland, Amsterdam, 1984, pp. 503–567.
- [81] J. van Mill, *A uniquely homogeneous space need not be a topological group*, Fund. Math. **122** (1984), 255–264.
- [82] J. van Mill and J. Mogilski, *Property C and fine homotopy equivalences*, Proc. Amer. Math. Soc. **90** (1984), 118–120.
- [83] J. van Mill and E. Wattel, *Orderability from selections: another solution to the orderability problem*, Fund. Math. **121** (1984), 219–229.

#### 1985

- [84] J. M. Aarts, J. van Mill, and J. Bruijning, *A compactification problem of J. de Groot*, Top. Appl. **21** (1985), 217–222.
- [85] W. W. Comfort and J. van Mill, *On the product of homogeneous spaces*, Top. Appl. **21** (1985), 297–308.
- [86] J. Dijkstra, T. Grilliot, J. van Mill, and D. J. Lutzer, *Function spaces of low Borel complexity*, Proc. Amer. Math. Soc. **94** (1985), 703–710.
- [87] J. J. Dijkstra and J. van Mill, *Fake topological Hilbert spaces and characterizations of dimension in terms of negligibility*, Fund. Math. **125** (1985), 143–153.
- [88] K. P. Hart, H. Junnila, and J. van Mill, *A Dowker group*, Comm. Math. Univ. Carolinae **26.4** (1985), 799–810.
- [89] K. P. Hart and J. van Mill, *A method for constructing ordered continua*, Top. Appl. **21** (1985), 35–49.
- [90] K. P. Hart and J. van Mill, *A normal separable group which is not Lindelöf*, Top. Appl. **20** (1985), 279–287.
- [91] D. J. Lutzer, J. van Mill, and R. Pol, *Descriptive complexity of function spaces*, Trans. Amer. Math. Soc. **291** (1985), 121–128.
- [92] J. van Mill, *Set theory and topology*, CWI Newsletter **7** (1985), 10–14.
- [93] J. van Mill and E. Wattel, *Partitioning spaces into homeomorphic rigid parts*, Coll. Math. **50** (1985), 95–102.

#### 1986

- [94] H. P. Barendregt and J. van Mill, *Are there countable topological combinatory algebras?*, Indag. Math. **48** (1986), 233–241.
- [95] J. van Mill, *Another counterexample in ANR theory*, Proc. Amer. Math. Soc. **97** (1986), 136–138.
- [96] J. van Mill, *An easy proof that  $\beta\mathbb{N} - \mathbb{N} - \{p\}$  is not normal*, Ann. Math. Silesianae **2(14)** (1986), 81–84.
- [97] J. van Mill, *Infinite-Dimensional Normed Linear Spaces and Domain Invariance*, Mathematics and Computer Science II (J. K. Lenstra M. Hazewinkel and L. G. L. T. Meertens, eds.), North-Holland, Amsterdam, 1986, pp. 105–110.
- [98] J. van Mill, *Local contractibility, cell-like maps, and dimension*, Proc. Amer. Math. Soc. **98** (1986), 534–536.
- [99] J. van Mill and R. Pol, *The Baire Category Theorem in products of linear spaces and topological groups*, Top. Appl. **22** (1986), 267–282.

#### 1987

- [100] W. W. Comfort and J. van Mill, *A countably compact extremally disconnected homogeneous space*, Top. Appl. **25** (1987), 65–73.

- [101] J. van Mill, *Domain invariance in infinite-dimensional linear spaces*, Proc. Amer. Math. Soc. **101** (1987), 173–180.
- [102] J. van Mill, *An infinite-dimensional pre-Hilbert space all bounded linear operators of which are simple*, Coll. Math. **54** (1987), 491–498.
- [103] J. van Mill,  *$n$ -dimensional totally disconnected topological groups*, Math. Japonica **32** (1987), 267–273.
- [104] J. van Mill, *Topological equivalence of certain function spaces*, Compositio Math. **63** (1987), 159–188.
- [105] J. van Mill and R. Pol, *A remark on the separable extension property*, Indag. Math. **90** (1987), 193–196.

#### 1988

- [106] J. van der Bijl and J. van Mill, *Linear spaces, Absolute Retracts, and the Compact Extension Property*, Proc. Amer. Math. Soc. **104** (1988), 942–952.
- [107] W. W. Comfort and J. van Mill, *On the existence of free topological groups*, Top. Appl. **29** (1988), 245–265.
- [108] D. W. Curtis and J. van Mill, *The compact extension property*, Proceedings of the Sixth Prague Topological Symposium, Heldermann Verlag, Praha, 1988, pp. 115–119.
- [109] J. van Mill, *Totally divergent dense sets in Cantor cubes*, Comm. Math. Univ. Carolinae **29** (1988), 711–713.
- [110] R. M. Shortt and J. van Mill, *Automorphism groups for measurable spaces*, Top. Appl. **29** (1988), 19–26.

#### 1989

- [111] J. Baars, J. de Groot, and J. van Mill, *A theorem on function spaces*, Proc. Amer. Math. Soc. **105** (1989), 1020–1024.
- [112] J. Baars, J. de Groot, J. van Mill, and J. Pelant, *On topological and linear homeomorphisms of certain function spaces*, Top. Appl. **32** (1989), 267–277.
- [113] W. W. Comfort and J. van Mill, *Concerning connected, pseudocompact Abelian groups*, Top. Appl. **33** (1989), 21–45.
- [114] E. K. van Douwen, K. Kunen, and J. van Mill, *There can be proper dense  $C^*$ -embedded subspaces in  $\beta\omega \setminus \omega$* , Proc. Amer. Math. Soc. **105** (1989), 462–470.
- [115] J. van Mill, *A homeomorphism on  $s$  not conjugate to an extendable homeomorphism*, Proc. Amer. Math. Soc. **105** (1989), 250–253.
- [116] J. van Mill, *In memoriam: Eric Karel van Douwen (1946-1987)*, Top. Appl. **31** (1989), 1–18.
- [117] J. van Mill, *Infinite-dimensional topology: prerequisites and introduction*, North-Holland Publishing Company, Amsterdam, 1989.

#### 1990

- [118] J. J. Dijkstra, T. Dobrowolski, W. Marciszewski, J. van Mill, and J. Mogilski, *Recent classification and characterization results in geometric topology*, Bull. Amer. Math. Soc. **22** (1990), 277–283.
- [119] K. P. Hart and J. van Mill, *Open Problems on  $\beta\omega$* , Open Problems in Topology (J. van Mill and G. M. Reed, eds.), North-Holland Publishing Company, Amsterdam, 1990, pp. 97–125.
- [120] K. P. Hart and J. van Mill, *Countably Compact Groups with Non-Countably-Compact Products*, General Topology and Applications, 1990, Marcel Dekker, Inc., New York, USA, pp. 127–131.
- [121] J. van Mill, *Every separable metrizable totally disconnected topological group is an autohomeomorphism group*, Top. Appl. **35** (1990), 127–135.
- [122] J. van Mill, *An infinite-dimensional homogeneous indecomposable continuum*, Houston J. Math. **10** (1990), 195–201.
- [123] J. van Mill and G. M. Reed, *Open Problems in Topology*, North-Holland Publishing Company, Amsterdam, 1990.

#### 1991

- [124] J. van der Bijl and J. van Mill, *The compact extension property: the role of compactness*, Comm. Math. Univ. Carolinae **32** (1991), 369–375.
- [125] W. W. Comfort and J. van Mill, *Some topological groups with and some without proper dense subgroups*, Top. Appl. **41** (1991), 3–15.
- [126] J. J. Dijkstra and J. van Mill, *Stability of a fake topological Hilbert space*, Rocky Mountain J. Math. **21** (1991), 1225–1234.
- [127] K. P. Hart and J. van Mill, *A countably compact topological group  $H$  such that  $H \times H$  is not countably compact*, Trans. Amer. Math. Soc. **323** (1991), 811–821.
- [128] K. P. Hart and J. van Mill, *Discrete sets and the maximal totally bounded group topology*, Journal of Pure and Applied Algebra **70** (1991), 73–80.
- [129] J. van Mill and R. Pol, *On the existence of weakly  $n$ -dimensional spaces*, Proc. Amer. Math. Soc. **113** (1991), 581–585.

### 1992

- [130] J. van der Bijl, T. Dobrowolski, K. P. Hart, and J. van Mill, *Admissibility, homeomorphism extension and the AR-property in topological linear spaces*, Top. Appl. **48** (1992), 63–81.
- [131] J. J. Dijkstra and J. van Mill, *Topological classification of infinite-dimensional spaces with absorbers*, Recent Progress in General Topology (M. Hušek and J. van Mill, eds.), North-Holland Publishing Company, Amsterdam, 1992, pp. 145–165.
- [132] J. J. Dijkstra, J. van Mill, and J. Mogilski, *An AR-map whose range is more infinite-dimensional than its domain*, Proc. Amer. Math. Soc. **114** (1992), 279–285.
- [133] J. J. Dijkstra, J. van Mill, and J. Mogilski, *Classification of finite-dimensional universal pseudo-boundaries and pseudo-interiors*, Trans. Amer. Math. Soc. **332** (1992), 693–709.
- [134] J. J. Dijkstra, J. van Mill, and J. Mogilski, *The space of infinite-dimensional compact spaces and other topological copies of  $(\ell_f^2)^\omega$* , Pac. J. Math. **152** (1992), 255–273.
- [135] H. Gladdines and J. van Mill, *Hyperspaces of locally connected continua of euclidean spaces*, Top. Proc. **17** (1992), 343–349.
- [136] N. Hindman, J. van Mill, and P. Simon, *Increasing chains of ideals and orbit closures in  $\beta\mathbb{Z}$* , Proc. Amer. Math. Soc. **114** (1992), 1167–1172.
- [137] J. van Mill, *Sierpiński's Technique and subsets of  $\mathbb{R}$* , Top. Appl. **44** (1992), 241–261.
- [138] M. Hušek and J. van Mill, *Recent Progress in General Topology*, North-Holland Publishing Company, Amsterdam, 1992.

### 1993

- [139] J. Baars, H. Gladdines, and J. van Mill, *Absorbing systems in infinite-dimensional manifolds*, Top. Appl. **50** (1993), 147–182.
- [140] J. Baars, J. de Groot, J. van Mill, and J. Pelant, *An example of  $\ell_p$ -equivalent spaces which are not  $\ell_p^*$ -equivalent*, Proc. Amer. Math. Soc. **119** (1993), 963–969.
- [141] H. Gladdines and J. van Mill, *Hyperspaces of infinite-dimensional compacta*, Compositio Math. **88** (1993), 143–153.
- [142] H. Gladdines and J. van Mill, *Hyperspaces of Peano continua of euclidean spaces*, Fund. Math. **142** (1993), 173–188.
- [143] J. van Mill and R. Pol, *A countable space with a closed subspace without measurable extender*, Bull. Polon. Acad. Sci. Sér. Math. Astronom. Phys. **41** (1993), 279–283.

### 1994

- [144] H. Becker, F. van Engelen, and J. van Mill, *Disjoint embeddings of compacta*, Mathematika **41** (1994), 221–232.
- [145] W. W. Comfort, H. Gladdines, and J. van Mill, *Proper pseudocompact subgroups of pseudocompact abelian groups*, Annals of the New York Ac. Sci. **728** (1994), 237–247.

- [146] W. W. Comfort and J. van Mill, *Groups with only resolvable group topologies*, Proc. Amer. Math. Soc. **120** (1994), 687–696.
- [147] A. Dow and J. van Mill, *Dense extremally disconnected subspaces*, Proc. Amer. Math. Soc. **121** (1994), 931–936.
- [148] J. van Mill, *Eric K. van Douwen, Collected papers*, North-Holland Publishing Company, Amsterdam, 1994.

#### 1995

- [149] R. N. Ball, W. W. Comfort, S. Garcia-Ferreira, A. W. Hager, J. van Mill, and L. C. Robertson,  $\varepsilon$ -spaces, Rocky Mountain J. Math. **25** (1995), 867–886.
- [150] R. Cauty, T. Dobrowolski, H. Gladdines, and J. van Mill, *Les hyperspaces des rétractes absolus et des rétractes absolus de voisinage du plan*, Fund. Math. **148** (1995), 257–282.
- [151] K. Kunen and J. van Mill, *Measures on Corson compact spaces*, Fund. Math. **147** (1995), 61–72.
- [152] J. van Mill and R. Pol, *Baire 1 functions which are not countable unions of continuous functions*, Acta Math. Hungar. **66** (1995), 289–300.
- [153] J. van Mill and R. Pol, *Remark on products of 1-dimensional compacta*, Q & A in General Topology **13** (1995), 97–98.
- [154] J. van Mill and J. E. Vaughan, *Is  $\omega^* - \{u\}$  absolutely countably compact?*, Annals of the New York Ac. Sci. **767** (1995), 161–164.

#### 1996

- [155] J. J. Dijkstra and J. van Mill, *On remainders without arcs*, Bull. Polon. Acad. Sci. Sér. Math. Astronom. Phys. **44** (1996), 263–266.
- [156] J. J. Dijkstra and J. van Mill, *Groups without convergent sequences*, Top. Appl. **74** (1996), 275–282.
- [157] J. J. Dijkstra and J. van Mill, *On the dimension of Hilbert space remainders*, Proc. Amer. Math. Soc. **124** (1996), 3261–3263.
- [158] J. van Mill, J. Pelant, and R. Pol, *Selections that characterize topological completeness*, Fund. Math. **149** (1996), 127–141.
- [159] J. van Mill and A. Ran, *On a generalization of Lyapounov's theorem*, Indag. Math. **7** (1996), 227–242.

#### 1997

- [160] A. Bella and J. van Mill, *Tight points and countable fan-tightness*, Top. Appl. **76** (1997), 1–7.
- [161] H. Brandsma, M. van Hartkamp, and J. van Mill, *On colorings of topological groups*, Top. Proc. **22** (1997), 25–41.
- [162] H. Brandsma and J. van Mill, *Every Kunen-like L-space has a non-monolithic hyperspace*, Top. Proc. **22** (1997), 15–24.
- [163] W. W. Comfort and J. van Mill, *How many  $\omega$ -bounded subgroups?*, Top. Appl. **77** (1997), 105–113.
- [164] J. J. Dijkstra and J. van Mill, *Projections of planar Cantor sets in potential theory*, Indag. Math. **8** (1997), 173–180.
- [165] J. J. Dijkstra and J. van Mill, *Two point set extensions—a counterexample*, Proc. Amer. Math. Soc. **125** (1997), 2501–2502.
- [166] T. Koetsier and J. van Mill, *General topology, in particular dimension theory, in the Netherlands: the decisive influence of Brouwer's intuitionism*, Handbook of the history of general topology (C. E. Aull and R. Lowen, eds.), Kluwer Academic Publishers, Dordrecht, 1997, pp. 135–180.

#### 1998

- [167] H. Brandsma and J. van Mill, *A compact HL-space need not have a monolithic hyperspace*, Proc. Amer. Math. Soc. **126** (1998), 3407–3411.
- [168] H. Brandsma and J. van Mill, *Monotone normality, measures and hyperspaces*, Top. Appl. **85** (1998), 287–298.
- [169] J. J. Dijkstra, K. Kunen, and J. van Mill, *Hausdorff measures and two point set extensions*, Fund. Math. **157** (1998), 43–60.

- [170] J. J. Dijkstra and J. van Mill, *Extending monotone mappings*, *Compositio Math.* **77** (1998), 201–210.
- [171] M. van Hartskamp and J. van Mill, *Normal spaces and fixed points of Čech-Stone extensions*, *Top. Appl.* **87** (1998), 21–27.
- [172] W. Marciszewski and J. van Mill, *An example of  $t_p^*$ -equivalent spaces which are not  $t_p$ -equivalent*, *Top. Appl.* **85** (1998), 281–285.